



# Thermal Imaging Cameras

Call Us (888) 873-5374

FLIR CAMERAS

FLUKE CAMERAS

TREK EQUIPMENT HOMEPAGE
















Printable Copy

## Choose the Camera That's Right for You!

Trek is an Authorized Distributor of Flir and Fluke Thermal Imaging Cameras. The matrix below compares features and pricing of Fluke and Flir cameras to help find the camera that best suits your application. **Click any model for detailed specs and to request a quote.**



	Resolution	Temperature	Accuracy	Video	Battery Life	Laser Pointer	Visual Light Resolution	Price Range	
	Process Sensors PTI-170	384 X 288	-20 °C to +1500 °C	± 2 C°	Yes	5 Hours +	Yes	640x480	\$9,995 - \$13,500
	Process Sensors PTI-280	320 X 240	-20 °C to +2000 °C	± 2 C°	Yes	5 Hours +	Yes	640x480	\$17,995
	Process Sensors PTI-90	320 X 240	-20 °C to +2000 °C	± 2 C°	Yes	5 Hours +	Yes	640x480	\$6,295
	FLIR b40	120 X 120	-20 °C to +120 °C	± 2 C°	No	5 Hours +	No	0.6 MP	\$4,995
	FLIR b50	140 X 140	-20 °C to +120 °C	± 2 C°	No	5 Hours +	Class 2	2.3 MP	\$5,995
	FLIR b60	180 X 180	-20 °C to +120 °C	± 2 C°	MPEG via USB	5 Hours +	Class 2	2.3 MP	\$7,995
	FLIR i40	120 X 120	-20 °C to +350 °C	± 2 C°	No	5 Hours +	No	0.6 MP	\$4,995
	FLIR i50	140 X 140	-20 °C to +350 °C	± 2 C°	No	5 Hours +	Class 2	2.3 MP	\$5,995
	FLIR i60	180 X 180	-20 °C to +350 °C	± 2 C°	MPEG via USB	5 Hours +	Class 2	2.3 MP	\$7,995
	FLIR T200	200 X 150	-20 °C to +350 °C	± 2 C°	No	4 Hours +	Class 2	1.3 MP	\$8,450
	FLIR T250	200 X 150	-20 °C to +350 °C	± 2 C°	No	4 Hours +	Class 2	1.3 MP	\$12,950
	FLIR T360	320 X 240	-20 °C to +350 °C	± 2 C°	No	4 Hours +	Class 2	1.3 MP	\$12,450
	FLIR T400	320 X 240	-20 °C to +350 °C	± 2 C°	Yes	4 Hours +	Class 2	3.1 MP	\$14,950

	FLIR B200	200 X 150	-20 °C to +120 °C	± 2 C°	No	4 Hours +	Class 2	1.3 MP	\$8,450
	FLIR B250	200 X 150	-20 °C to +120 °C	± 2 C°	No	4 Hours +	Class 2	1.3 MP	\$12,950
	FLIR B360	320 X 240	-20 °C to +120 °C	± 2 C°	No	4 Hours +	Class 2	1.3 MP	\$12,450
	FLIR B400	320 X 240	-20 °C to +120 °C	± 2 C°	Yes	4 Hours +	Class 2	3.1 MP	\$14,950
	Extech i5	80 X 80	0 °C to +250 °C	± 2 C°	No	4 Hours +	No	None	\$1,595
	FLIR EX320	320 X 240	-20 °C to +250 °C	± 2 C°	No	2 Hours	Class 2	None	\$9,950
	FLUKE Ti10	160 X 120	-20 °C to +250 °C	± 2 C°	No	± 4 Hours	No	.3 MP	\$4,495
	FLUKE Ti25	160 X 120	-20 °C to +350 °C	± 2 C°	No	3 Hours +	No	.3 MP	\$7,495
	FLUKE Ti40FT	160 X 120	-20 °C to +350 °C	± 2 C°	Composite Output	2 Hours	Class 2	1.3 MP	\$9,490
	FLUKE Ti45FT	160 X 120	-20 °C to +600 °C	± 2 C°	Composite Output	2 Hours	Class 2	1.3 MP	\$13,990
	FLUKE Ti50FT	320 X 240	-20 °C to +350 °C	± 2 C°	Composit Output	2 Hours	Class 2	1.3 MP	\$18,490
	FLUKE Ti55FT	320 X 240	-20 °C to +600 °C	± 2 C°	Composite Output	2 Hours	Class 2	1.3 MP	\$21,990
	FLUKE TiR	160 X 120	-20 °C to +100 °C	± 2 C°	No	3 Hours +	No	.3 MP	\$4,495
	FLUKE TiR1	160 X 120	-20 °C to +120 °C	± 2 C°	No	3 Hours +	No	.3 MP	\$6,995

	FLUKE TiR2	160 X 120	-20 °C to +100 °C	± 2 C°	Composite Output	2 Hours	Class 2	1.3 MP	\$8,995
	FLUKE TiR3	320 X 240	-20 °C to +100 °C	± 2 C°	Composite Output	2 Hours	Class 2	1.3 MP	\$11,995
	FLUKE TiR4	320 X 240	-20 °C to +100 °C	± 2 C°	Composite Output	2 Hours	Class 2	1.3 MP	\$15,495
	FLIR A320	320 X 240	-20 °C to +120 °C	± 2 C°	Yes	Fixed Mounted	NA	.3 MP	\$11,950
	FLIR A320 EBT	320 X 240	-20 °C to +120 °C	± 2 C°	Yes	Fixed Mounted	NA	.3 MP	\$12,950
	FLIR A325	320 X 240	-20 °C to +120 °C	±2 C°	Yes	Fixed Mounted	NA	.3 MP	\$20,000 Up To \$29,950
	FLUKE Ti32	320 X 240	-20 °C to +600 °C	±2 C°	No	4 Hours + (assumes 50 % brightness of LCD)	No	1.3 MP	\$8,995
	FLUKE TiR32	320 X 240	-20 °C to +150 °C	±2 C°	No	4 Hours + (assumes 50 % brightness of LCD)	No	1.3 MP	\$8,995
	Extech i7	120 X 120	-20 °C to +500 °C	±2 C°	No	5 Hours +	No	0.6 MP	\$1,995
	FLIR T300	320 X 240	-20 °C to +500 °C	±2 C°	No	5 Hours +	Yes	3.1 MP	\$9,950
	Sofradir Hotshot-HD- XT	640x480	-20 °C to +500 °C	±2 C°	NTSC	2.5 hours	Dual Laser Line	1280x1024	\$29,950
	Sofradir Hotshot-HD-S	640x480	-20 °C to +350 °C	±2 C°	NTSC	2.5 hours	Dual Laser Line	1280x1024	\$26,950
	Sofradir Hotshot-HD-B	640x480	-20 °C to +100 °C	±2 C°	NTSC	2.5 hours	Dual Laser Line	1280x1024	\$19,950